

Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

December 16, 2016

Katrina Sutphin 1401 Alameda drive Ontario, OR 97914

Re: Crowley Dam (C-10) - Inspection Summary

On May 19, 2016 Watermasters Ron Jacobs and JR Johnson inspected Crowley Dam. The frequency of inspection depends on the hazard the dam presents to downstream resources as well as the condition that it is in. Crowley dam is classified as a high hazard dam due to the location of the residence downstream. It has been in UNSATIFACTORY condition because of the severe cracking in the structure, and the fact valves cannot be opened to drain it. As noted in last year's inspection report, the dam is no longer serviceable. Crowley dam has been allowed to deteriorate over the course of many years. Historical documentation indicates that the dam is over one hundred years old. We do not see how the dam can be repaired. Therefore, removal, with or without replacement, appear to be the only options.

The most significant changes to the dams' condition since the last inspection are the enlargement of the hole associated with a significant vertical crack in the face of the dam, and the sloughing off of yet more material along the front face about midway up.

Because there is no effective way to release water from the reservoir with any control the reservoir is still able to fill to the point of overtopping the dam. The concrete in its entirety is badly deteriorated, including cracks over most of the dam and a hole through the dam. This poses a serious risk to anyone in the residence located downstream when the dam fails.

Concrete arch dams are likely to fail suddenly and catastrophically and without warning. Removal of Crowley dam appears to be the only option. Until this dam is removed, the valves need to be modified so that they remain fully open. Open pipes will greatly reduce the risk of the reservoir filling. It is of critical importance to prevent water building up a hydraulic load on the dam. Failure to take actions to address these serious safety issues will require the department to take actions under ORS 537.450-490 since the safety of this dam is seriously in question. Persons below the dam, including anyone in your house would be a high risk if the reservoir behind the dam fills. It is likely that persons in the home or on the road below the dam would be at high risk if they were present when the reservoir contained a significant volume of water.

The Crowley Dam site is an excellent location for dam. The natural channel constriction in conjunction with substantial hard rock abutments presents itself as a good candidate for a

replacement project. While dangerous to leave the dam in its current condition, we are most willing to help explore any available options for its replacement.

Please contact me for clarification of this situation. Action to remove the valves and or keeping people out of the area below the dam is now strongly advised. No action will likely result in a formal notice of an unsafe dam. I would like to meet with you on site next year to discuss options for this site. Our preference is for you to develop a plan for removal and replacement of this dam. A field inspection sheet for this dam is attached.

Sincerely,

Keith Mills, P.E., G.E., State Engineer for Water Resources

themille

Phone: (503) 986-0840 Cell: (541) 706-0849

C: Brenda Bateman

JR Johnson Ron Jacobs



Dam Safety Inspection Form

State of Oregon Water Resources Department 725 Summer Street NE, Suite A. Salem, Oregon 97301-1271 (503) 986-0900

Name of Dam:	Crowle	y Reservoir	•			
File#: C-/)	-		•	,	
Height: 90	ft. Storage:	3700	ac. ft. Permit:	R-709	NID #: OR- 60132	
Hazard: Lov	Signific	ant Migh	Request In	indation Ana	lysis for change	
Inspector(s):	IR Johns	ion Ros	1 Jacobs		Watermaster Distri	ct: 9
Date: 19/	04/6	Wea	ther: crar	and wind	4	
					Concrete stru	TUIC
is in un	satisfac	rury condi	TION			
Expedited Re-in	spection Nee	eded: Next I	nspection Date: _			
			Maintenance or n fety issue – action		eeded ct dam owner and dam saf	ety engineer
I. Dam	Earth	Rock	Concrete	Other		Rating
Up. Slope	Vegetation, A	Animals, Erosion,	Wave Action, Depr	ession, Whirlpo	ool adjacent	a
Crest	Width, Surfa	cing, Vegetation,	Trampling, Depress	ion, Cracks, Br	eaching	2
Down. Slope	Vegetation,	Animals, Erosion,	Seepage, Leak (mu	ddy), Bulge, Do	epression Slide	2
R. Abutment	Vegetation, A	Animals, Erosion,	Seepage, Leak (mu	ddy)		4
L. Abutment	Vegetation, A	Animals, Erosion,	Seepage, Leak (mu	ddy)		4
Toe	Vegetation, E	Erosion, Seepage,	Leak (muddy), Boi			2
Seepage/leak flo	w Right_	gpm Center	gpm Left_	gpm Oth	ergpm (use comment)	
Auxiliary dike (s) 🔯 No	☐ Yes ☐ 1	2 3	4 🛮 5 🗀	over 5	
Comments:						
	S					No.
II. Reservoir		elevation:		oint of Refere		Rating
Minimum freeb			s from debris line to		t.	4
Floating Debris			ound reservoir	•		4
Landslides/Eros					ve movement Stabilized	
Log Boom		Not needed P	resent Neede	d Deterior	ration Ineffective	
Comments:						
The second second second	NA CONTRACTOR					
Flow (com)						
Flow (gpm) Damage						
Sediment						

IV. Conduit Control: Trickle tube Manual Valve Power Valve other					
Inlet gate	☐ Submerged				
Trash Rack	Submerged				
Control/Stem	☐ Clean ☐ Greased ☐ Irregular				
Valve(s) cycling	☐ Frozen ☐ unknown ☐ past year ☐ frequent				
Diameter:	Material Condition				
Outlet Structure	Overgrown Clean Pressurized Leaking gpm				
Secondary outlet	Yes No Type Diameter 18 in.				
Comments:					
V. Spillway	Earth Rock Concrete Other	Rating			
Modifications	☑ None ☐ Reduction in capacity ☐ Feature not on design				
Approach Channel	Clear Trees/brush debris sill				
Flashboards/Gate					
Discharge Channel	nnel Clear Trees/brush leakage headcutting				
Stilling basin					
Aux. Spillway	Yes No (use comments below)				
Comments:					
VL Access and Secu	ority	Rating			
Vehicle access	Public road all weather road dirt road cross country	4			
Fencing, signage	☐ Remote ☐ Clear signage ☐ Secure Fence ☐ Camera ☐ Unsecure	4			
On Site Dam Tender/Contact	☐ Yes ☑ No Name: Phone:	7			
Emergency Action P	lan Not required Completed at dam (dated) None				